GENUINE PARTS

INSTALLATION INSTRUCTIONS

1.	**DESCRIPTION:**	SKI ATTACHMENT, 6 PAIR SKIS / 2 SNOWBOARDS
2.	**APPLICATION:**	Refer to the Dealer Accessory Chart for specific vehicle application.
3.	**PART NUMBER:**	999R1 KL007 and 999R1 RL007

4. **KIT CONTENTS:**

ITEM NO.	QTY	DESCRIPTION
1)	2	Ski Carriers
2)	4	Carriage Bolts
3)	4	Hex Key Nuts
4)	2	Locking Keys
5)	1	Install Instructions Replacement Template

5. **TOOLS REQUIRED:** NONE REQUIRED

6. **INSTALLATION PRECAUTIONS / NOTES:**

⚠ WARNING

- DO NOT exceed the recommended weight limits of your roof rack.
- Install your ski attachment to your rack with Nissan Vertical Mighty Mounts (part #999R1-KR000).
- Load is limited to 6 pair skis or 2 snowboards only.

NOTE
Vertical Mighty Mounts purchased separetely. See NISSAN accessory application chart. Bar shape shown is for illustration purpose only. Your cross bar may look different.

7. **INSTALLATION PROCEDURE**

(FRONT OF VEHICLE)

1) Spread the Mighty Mount apart and snap it around the factory installed rack.

INSTALLATION INSTRUCTIONS - SKI CARRIERS

2) Place two Mighty Mounts onto each bar.

   a) Compress each Mighty Mount so that
   the "ears" are aligned.

12" - 36"
(30 cm - 92 cm)

3) Install carriers onto Mighty Mounts.

**Note: Bars should be between 12 and
   36 inches apart.**

4) Depress the red button and open the carrier.

5) Insert a carriage bolt throught the carrier
   and the Mighty Mount.

   a) Secure loosely with a hex key nut.

6) Repeat bolt installation of each Mighty Mount.

7) Completely tighten all hex key nuts.

8) Place skis inside the carrier.

   a) Carry skis with tails facing the front of the vehicle.

CLICK

9) Apply pressure to the top of the carriers to close securely.

   a) You should hear an audible "click".

HEEL AND TOE BINDINGS

SIDE VIEW: RACKS AND LOADED SKI CARRIERS

10) For added security, position skis and racks with one mount between the heel and toe bindings.