



# SERVICE BULLETIN

Classification: EL99-016d	Reference: NTB99-048d	Date: July 28, 2000
------------------------------	--------------------------	------------------------

## NISSAN ORIGINAL EQUIPMENT AND REPLACEMENT BATTERY RATINGS

This amended version of NTB99-048c provides new information for Maxima replacement battery ratings (see the table on page 3). Please refer to this bulletin (NTB99-048d) for complete information. Please discard paper copies of NTB99-048, NTB99-048a, NTB99-048b and NTB99-048c.

**APPLIED VEHICLES:** All Nissan  
**APPLIED DATES:** 1982-2001

### SERVICE INFORMATION

This bulletin provides battery CCA ratings/JIS numbers for Original Equipment batteries and provides battery CCA ratings for Genuine Nissan replacement batteries. Refer to the charts below for details.

#### Nissan Original Equipment Batteries (installed in the vehicle at the time of manufacture):

- Vehicles manufactured in North America have a CCA rating label on top of the battery.
- Vehicles manufactured in Japan have a JIS number stamped on top of the battery case.
- When using the Micro 620 tester, make sure you enter the applicable number (CCA or JIS).

#### Genuine Nissan Replacement Batteries (service part replacements for Nissan Original Equipment Batteries):

- These batteries have group number labels (24, 25, 27, etc.) located on top of the battery.
- Use the battery group number to determine the CCA rating number (refer to the Genuine Nissan Replacement Battery Ratings chart on page 3).
- Enter the CCA rating number when using the Micro 620 tester.

**IMPORTANT:** Failure to enter the correct CCA rating or JIS number when using the Micro 620 tester will cause inaccurate test results. The CCA rating/JIS number entered during testing is recorded in the 12-character test output code required for warranty repairs. Claims submitted with incorrect CCA ratings/JIS numbers are subject to suspension or denial.

058156

**Nissan Original Equipment Battery CCA Rating/JIS Number**

MODEL	YEAR	APPLICATION	CCA RATING	JIS NUMBER
Xterra	2000 & later	Standard	490 CCA	
	2000 & later	Optional	550 CCA	
Quest	1999 & later	All	525 CCA	
	1997-98	All	550 CCA	
Truck	1997	All	490 CCA	
Frontier	1998 & later	All	490 CCA	
Pathfinder	2001 & later	All		80D26R
	1997-00	Standard		55D23R
	1999.5 - 00	Optional		80D26R
	1997-99	Optional		75D31R
200SX	1997-98	Standard	490 CCA	
	1997-98	Optional	550 CCA	
Sentra	2000 & later	All	356 CCA*	
	1997-99	All	490 CCA	
Altima	1997 & later	All	550 CCA	
240SX	1997-98	All		55D23R
Maxima	2000 & later	All		80D26L
	1997-99	Standard		55D23L
	1997-99	Optional		80D26L

CCA = Cold Cranking Amps

JIS = Japanese Industry Standard

\* When using the Micro 620 Battery/Starting/Charging System Tester, CCA rating input should be 355 CCA.

## Genuine Nissan Replacement Battery Group Number/CCA Rating

MODEL	YEAR	APPLICATION	GROUP #	NISSAN P/N	CCA*
Altima	1993 & later	All	24F	999M1-NB24F	575
Axxess	1990	All	35	999M1-NB35C	550
Maxima	2000 & later	All	24F	999M1-NB24F	575
	1985-99	All	35	999M1-NB35C	550
	1985-99	With cold package	24F	999M1-NB24F	575
	1984	All	25	999M1-NB25C	550
Pulsar	1984-90	All	35	999M1-NB35C	550
Stanza	1987-92	All	35	999M1-NB35C	550
	1984-86	All except wagon	25	999M1-NB25C	550
	1986-88	Wagon	35	999M1-NB35C	550
Sentra	1987 & later	All	35	999M1-NB35C	550
	1985-86	All except diesel	24F	999M1-NB24F	575
	1984	All except diesel	35	999M1-NB35C	550
Pathfinder	2001 & later	All	24	999M1-NB24C	575
	1987-00	All	25	999M1-NB25C	550
	1987-00	With heated seats	24	999M1-NB24C	575
Frontier	1999 & later	Four cylinder	25	999M1-NB25C	550
	1999 & later	Six cylinder	24	999M1-NB24C	575
Truck	1984-97	All except diesel	25	999M1-NB25C	550
	1986	Diesel	24 (2)	999M1-NB24C	575
	1982-85	Diesel	27	999M1-NB27C	675
Quest	1993 & later	All	24F	999M1-NB24F	575
Van	1987-90	All	25	999M1-NB25C	550
200SX	1995 & later	All	35	999M1-NB35C	550
	1982-88	All	24	999M1-NB24C	575
240SX	1995-98	All	25	999M1-NB25C	550
	1989-94	All except Convertible	24	999M1-NB24C	575
	1992-94	Convertible	25	999M1-NB25C	550
300ZX	1990-96	All	24F	999M1-NB24F	575
	1992-96	Convertible	35	999M1-NB35C	550
	1984-89	All	25	999M1-NB25C	550
Xterra	2000 & later	All (standard)	25	999M1-NB25C	550
	2000 & later	All (optional)	24	999M1-NB24C	575

\*CCA = Cold Cranking Amps