# D

Е

$\sim$	$\bigcap$	VI.	Т	N	т	C
C	U	I		N		J

ACCELERATOR CONTROL SYSTEM2	Removal and Installation2	2
	Adjusting Accelerator Wire	2

# 1

## J

#### K

#### L

#### M


### **ACCELERATOR CONTROL SYSTEM**

PFP:18005

#### Removal and Installation

EBS00EZD

#### **Accelerator Pedal and Wire**



#### **CAUTION:**

- The accelerator wire should be adjusted when removing or replacing any parts of the Accelerator Control System.
- Check that throttle valve opens fully when accelerator pedal is fully depressed. Also check that
  the throttle valve returns to the idle position when the pedal is released.
- Check the accelerator control parts for interference contact with any adjacent parts.
- When connecting the accelerator wire, be careful not to twist or scratch the inner wire.
- Refer to <u>ACS-23, "ASCD Wire Adjustment"</u>.


## **Adjusting Accelerator Wire**

EBS00EZE

### NOTE:


Adjust the accelerator wire with the engine warmed up to normal operating temperature and the ignition switch turned to OFF.

- Remove the vacuum hose connected to the throttle opener.
- 2. Connect a suitable vacuum hose to the vacuum pump.
- Apply vacuum [more than -40.00 kPa (-300 mmHg, -11.81 inHg)] until the throttle drum becomes free from the rod of the throttle opener (VG33E only).
  - Make sure that there is clearance between the throttle drum and rod.
  - If there is no clearance, refer to <u>EC-73, "Basic Inspection"</u> (KA24DE), or <u>EC-640, "Basic Inspection"</u> (VG33E), or <u>EC-1242, "Basic Inspection"</u> (VG33ER).
  - If there is clearance, go to the following steps.



### **ACCELERATOR CONTROL SYSTEM**

- 4. Loosen the lock nut and tighten the accelerator adjusting nut until the throttle drum starts to move.
- 5. From that position, turn back the adjusting nut 1.5 to 2 turns, and tighten the lock nut to specification as shown.
- 6. Release the vacuum from the throttle opener.
- 7. Remove the vacuum pump hose from the throttle opener.
- 8. Reinstall the original vacuum hose to the throttle opener.



Α

ACC

С

D

Е

F

G

Н

K

L

M

## ACCELERATOR CONTROL SYSTEM